

SVJC DAV School
Dasuya Affiliation
Gurukul

Dated: 25/06/2024

The Manager,
S V J C D A V PUBLIC SCHOOL DASUYA HOSHIARPUR PB
DASUYA HOSHIARPUR, HOSHIARPUR
PUNJAB, HOSHIARPUR, 144205
(M: 01883-285246)

SUBJECT: -Extension of General Affiliation up to Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	1630172
School No	20160
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2025 to 31.03.2030

The above sanction is subject to fulfillment of following conditions:-

- The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye-Laws-2018.
- The school shall follow all the provisions of Affiliation Bye-Laws- 2018, Examination Bye-Laws, circulars, guidelines, instructions and other amendments issued from time to time by the Board.
- The School shall possess following valid mandatory documents at all times :
 - No Objection Certificate
 - Recognition Certificate
 - Land Certificate
 - Fire Safety Certificate
 - Building Safety Certificate
 - Certificate of Registration of Society/Trust/Company
 - Safe Drinking Water and Sanitary Condition Certificate
- The School shall also ensure the compliances with the Board's Bye-laws in respect of following facilities and infrastructure within 3 months and submit compliance on SARAS portal
 - Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.
 - Ramps at the entrance(s) as well as Ramps/lifts for CWSN, to access the upper floors of the school (in case of a multistoried school) (Circular No. CBSE/AFF-05/2023 dated 06.03.2023).
 - Separate toilets for CWSN, boys and girls on every floor (in case of multistoried schools) (Circular No. CBSE/AFF-05/2023 dated 06.03.2023).

Rosini Ranjani
Principal
SVJC DAV P School
Dasuya

Rosini Ranjani
Principal
SVJC DAV PS
DASUYA (Pb.)

4. Appropriate laboratory infrastructure for Secondary School (Composite Science Lab, Mathematics Lab, Computer Lab) and for Senior Secondary School (Composite Science Lab, Mathematics Lab, Computer Lab, Physics Lab, Chemistry Lab, Biology Lab.) (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
5. Well stocked library with adequate reading area. (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
6. Well-developed indoor and outdoor sports facilities. (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
7. Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)

Failure to comply within the prescribed time may invite financial penalty @ 50,000/- per month until compliance is submitted and may debar the school from filling the registration and LOC of students' class IX to class XII, as the case may be.

If the compliance is not submitted within the stipulated 3 months, the Board may enhance the penalty amount and debar the schools from filling up registration/LOC details of students of classes IX to XII, as the case may be, in the next academic session i.e. 2024-25.

DEPUTY SECRETARY/JOINT SECRETARY (AFF)

Note :-

1. The School is required to apply online for extension of affiliation before its expiry along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
4. The school shall not remove the documents and videography links in the mandatory disclosure section of its website.

This is an electronically generated document. It does not need any signature to verify the authenticity of the document, please visit <https://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchoolsRevised>

Rasmitang
Principal
SVJC DAV P School
Dasuya

Rasmitang
Principal
SVJC DAV PS
DASUYA (Ph.)

4221
4.11.25

Sumil,
Daak register
II

Insert in
file & keep
record.
II

Dinesh
to reflect in
mandatory
disclosures.

ਦਫਤਰ: ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ:2 ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ ਭਵਨ ਤੇ
ਮਾਰਗ ਸ਼ਾਖਾ ਹੁਸ਼ਿਆਰਪੁਰ ।

ਸੇਵਾ ਵਿਖੇ

Principal
S.V.J.C DAV Public School
Dasuya (Hoshiarpur)Pb.

ਨੰ: 228 ਮਿਤੀ 3/11/2025


ਵਿਸ਼ਾ :- ਇਸ਼ੂ ਆਫ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਸਾਲ 2025-26

ਹਵਾਲਾ :- ਆਪ ਦੇ ਸਕੂਲ ਦਾ ਪੱਤਰ ਨੰ 5050 ਮਿਤੀ 30-08-2025

ਉਪਰੋਕਤ ਸਕੂਲ ਦੀ ਇਮਾਰਤ ਦਾ ਨਿਰੀਖਣ ਇਸ ਦਫਤਰ ਦੇ ਜੂਨੀਅਰ ਇੰਜੀਨੀਅਰ ਵੱਲੋਂ ਕੀਤਾ ਗਿਆ ਅਤੇ ਰਿਪੋਰਟ ਕੀਤੀ ਹੈ ਕਿ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਸਟਰਕਚਰਲ ਸਰਟੀਫਿਕੇਟ ਦੇ ਅਧਾਰ ਤੇ ਦੇਖਣ ਨੂੰ ਸੁਰੱਖਿਅਤ ਹੈ। ਇਸ ਲਈ ਇਸ ਸਕੂਲ ਦਾ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਸਾਲ 2025-26 (01 ਅਪ੍ਰੈਲ 2025 ਤੋਂ 31 ਮਾਰਚ 2026 ਤੱਕ) ਵਾਸਤੇ ਹੇਠ ਲਿੱਖੀਆਂ ਸ਼ਰਤਾਂ ਤੇ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ :-

1. ਬਿਲਡਿੰਗ ਦੀਆਂ ਛੱਤਾਂ ਉਤੇ ਪਾਣੀ ਖੜਾ ਨਾ ਹੋਣ ਦਿੱਤਾ ਜਾਵੇ ।
2. ਜੇਕਰ ਬਿਲਡਿੰਗ ਦੇ ਕਿਸੇ ਹਿੱਸੇ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦੀ ਤਰੇੜ ਵਗੈਰਾ ਆ ਜਾਂਦੀ ਹੈ ਤਾਂ ਉਸ ਜਗ੍ਹਾ ਨੂੰ ਤੁਰੰਤ ਖਾਲੀ ਕੀਤਾ ਜਾਵੇ ਅਤੇ ਉਸ ਦੀ ਰਿਪੇਅਰ ਤੁਰੰਤ ਹੀ ਕਰਵਾਈ ਜਾਵੇ ।
3. ਸਕੂਲ ਬਿਲਡਿੰਗ ਦੀ ਉਸਾਰੀ ਵਿੱਚ ਵਰਤੋਂ ਗਏ ਮਟੀਰੀਅਲ ਦੀ ਜਿਮੇਵਾਰੀ ਸਬੰਧਤ ਸਕੂਲ ਦੀ ਹੋਵੇਗੀ।
4. ਨਾਲ ਨੱਥੀ ਨਕਸ਼ੇ ਤੋਂ ਇਲਾਵਾ ਜੇਕਰ ਆਪ ਵੱਲੋਂ ਕੋਈ ਵਾਧੂ ਉਸਾਰੀ ਕਰਨੀ ਹੋਵੇ ਤਾਂ ਉਸਦੀ ਮੰਜੂਰੀ ਮਹਿਕਮੇਂ ਪਾਸੋਂ ਲਈ ਜਾਵੇ ।
5. ਸਰਕਾਰ ਦੀਆਂ ਹਦਾਇਤਾ/ਕੋਰਟ ਦੀਆਂ ਹਦਾਇਤਾ ਮੁਤਾਬਿਕ ਜੇਕਰ ਕੋਈ ਵੀ ਅਸੈਸ ਫੀਸ ਜਮ੍ਹਾਂ ਕਰਵਾਉਣੀ ਪੈਂਦੀ ਹੈ ਤਾਂ ਉਹ ਫੀਸ ਤੁਹਾਡਾ ਸਕੂਲ ਜਮ੍ਹਾਂ ਕਰਾਉਣ ਦਾ ਪਾਬੰਦ ਹੋਵੇਗਾ।
6. ਸਕੂਲ ਵੱਲੋਂ ਬਣਦੀ ਇੰਸਪੈਕਸ਼ਨ ਫੀਸ ਬਾਬਤ ਰਕਮ 10,000/- ਰਪੁਏ ਜਮ੍ਹਾਂ ਕਰਵਾ ਦਿੱਤੇ ਗਏ ਹਨ ।

ਨੱਥੀ/ਨਿੱਲ



ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ:2 ਲੋ:ਨਿ:ਵਿ:(ਭ ਤੇ ਮ) ਸ਼ਾਖਾ
ਹੁਸ਼ਿਆਰਪੁਰ ।

ਪਿੱਠ ਅੰਕਣ ਨੰ:

ਮਿਤੀ

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ ਉਸਾਰੀ ਮੰਡਲ ਨੰ:1 ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ ਭਵਨ ਤੇ ਮਾਰਗ ਸ਼ਾਖਾ ਹੁਸ਼ਿਆਰਪੁਰ ਜੀ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਅਗਲੇਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।

ਨੱਥੀ/ਰਸੀਦ ਦੀ ਕਾਪੀ


ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ:2 ਲੋ:ਨਿ:ਵਿ:(ਭ ਤੇ ਮ) ਸ਼ਾਖਾ
ਹੁਸ਼ਿਆਰਪੁਰ ।



Pin:251271655

ApplicationId:2512184754

Dated 6-Jan-2026

Certificate No-:PBIP-(FIRE) 2026/2961

Valid Till:- 5-Jan-2029 (3)year



Certified that the building on the name of SVJCDAV PUBLIC SCHOOL, is situated at DASUYA, owned by RASHMI MAINGI, is comprised of a total covered area of 2312 sq. mtrs and the height of the building is 10 meters including a total of 3 floor(s) and 0 basement(s).

This building is inspected by officer of Punjab Fire and Emergency Service and found compiled with the firefighting system requirements of National Building Code, 2005 / 2016, Part-4. The site inspection was carried out in the presence of RASHMI MAINGI. This building / site is fit for occupancy Group Educational-(B) (this occupancy group is as per National Building Code, 2016 Part-4). This certificate is issued with the following conditions and this certificate is valid for 3 year.

Issued on 6-Jan-2026 at -Dasuya

General Conditions:

1. Owner/Occupier is responsible to maintain the Fire Fighting System and Life Safety Systems in the working condition 24X7 at all the times.

2. No Alteration / addition / Change in Covered Area, Height of Building & Type of Occupancy is allowed..

3. Owner/Occupier shall ensure the periodic Fire Safety Training on Fire Prevention & Operationing of Fire Fighting Systems to among all the occupants and maintain records of the same. Owner/Occupier shall also ensure to organise Mock Drill Biannually and maintain the records of the same

4. Officer of Punjab Fire and Emergency Service is authorised to inspect your building as per the procedure defined in the Punjab Fire and Emergency Service Act, 2024 and in case of any deficiency or irregularity is found in the Fire Fighting System & Life Safety Systems, the officer of Punjab Fire and Emergency Service may initiate the appropriate action as deemed fit under the provisions of the Punjab Fire and Emergency Service Act, 2024, which may lead to imposing penalty or cancellation of Fire Safety Certificate etc.

5. Owner/Occupier shall apply for the renewal of fire safety certificate at least one month prior to expiry of this certificate.

6. In view of any Special Risks is Involved or life safety of the occupants, the approving Authority of this Fire Safety Certificate can issue Special Conditions separately through an official letter in continuation of this certificate.

* Above Details cannot be used as ownership proof.

* This is digitaly created cerificate, no signature is needed.

Sub Divisional Engineer, W/S & Sanitation Sub Div, Dasuya

E-mail:- sdewss.dasuyapb@yahoo.com

To

The Principal,
D.A.V Public School,
Dasuya Distt. Hoshiarpur.

No 1812 Date 1.12.2025

Subject: - Issue of drinking water, Health and Sanitary Condition Certificate Session 2025-2026

Ref: - Your Application Ref. No. 5063 Dated: - 10.09.2025

It is pertaining to the subject cited above that the building of D.A.V Public School Dasuya Distt. Hoshiarpur has been inspected by this office and certified that water is fit for drinking the sanitation condition is found quite satisfactory for the year 2025-2026



Sub Divisional Engineer,
W/S & Sanitation Sub Division,
Dasuya

**Sub-Divisional-Engineer
W/S & Sanitation, Sub Division
DASUYA (Hoshiarpur)**